

Attorney's Docket 081468-03084079 Client Reference: P-1813.000-US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION of:

Confirmation Number: 3791

RUDY JAN MARIA PELLENS

Application No.: 10/783,034

Group Art Unit: 2826

Filed: February 23, 2004

Examiner: QUINTO, Kevin V.

For: DEVICE MANUFACTURING METHOD AND SUBSTRATE COMPRISING

MULTIPLE RESIST LAYERS

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

AMENDMENT/RESPONSE TRANSMITTAL

Transmitted herewith is an amendment/response for this application.

FEES

The fee for claims and extension of time (37 C.F.R. 1.16 and 1.17) has been calculated as shown below:

	CLAIMS REMAINING AFTER AMENDMENT	PRE\	EST NO. VIOUSLY ID FOR		ESENT XTRA	RA	TE.		ADDIT. FEE	
TOTAL	23	_	26	=	0	x \$	50.00	=	\$.	0.00
INDEP.	2	_	3	=	0	х \$	210.00	=	\$	0.00
FIRST PRESENTATION OF MULTIPLE DEP. + CLAIM \$ 370.00 =									<u> </u>	0.00
TOTAL ADDITIONAL CLAIM FEE									\$	0.00
GRAND TOTAL									\$	0.00



FEE PAYMENT

Authorization is hereby made to charge the amount of \$0.00 to Deposit Account No. 033975. Charge any additional fees required by this paper or credit any overpayment in the manner authorized above. A duplicate of this paper is attached.

Date:

Felmany 4,608

PILLSBURY WINTHROP SHAW PITTMAN LLP

P.O. Box 10500 McLean, VA 22102 703 770.7797 CHRISTORME F. LAIR

Reg. No. 54248



Attorney Docket: 081468-0308407 Client Reference: P-1813.000-US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION of:

Confirmation Number: 3791

PELLENS

Application No.: 10/783,034

Group Art Unit: 2826

Filed: February 23, 2004

Examiner: Kevin V. Quinto

Title: DEVICE MANUFACTURING METHOD AND SUBSTRATE COMPRISING

MULTIPLE RESIST LAYERS

February 4, 2008

AMENDMENT UNDER 37 C.F.R. §1.111

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

In response to the Office Action dated November 2, 2007, the date for responding being February 2, 2008, please amend the above-identified application as follows: